

STAINO & STAINO

Doors and furnishing systems



COLLECTION

iDoor®

The "Collection IDOOR®" catalogue is dedicated to the new flush-to-the-wall door with rounded top corners.
All STAINO & STAINO products are true Made in Italy.

iDoor® is a registered industrial model, designed by Dario Staino and produced exclusively by Staino&Staino srl.

Staino&Staino srl | Via Danubio, 21/23/25 59100 Prato - Italy | Tel +39 0574 69 39 38 | Fax +39 0574 69 43 55 | www.stainoestaino.it
amministrazione@stainoestaino.it commerciale@stainoestaino.it export@stainoestaino.it

STAINO & STAINO Srl is not responsible for any inaccuracies contained in this catalog due to printing errors or for any other reason. STAINO & STAINO reserves the right to make changes to improve the products without notice. Prohibited reproduction without authorization, even partial, of the texts and images contained in this catalog is strictly prohibited by law.



iDoor®

06



iDoor®

special frame on 4 corners

12

HANDLES

14

DATA SHEET:

FLUSH-TO-THE-WALL DOOR

22

FINISHES

24

iDOOR®

door painted on site grooved handle MA22



SEGRETA

iDoor®

iDoor® is the new flush-to-the-wall door model produced by Staino & Staino which, thanks to its rounded ends, is characterized by an exclusive design, very clean and minimal but with a decidedly softer, more personal and recognizable taste.

Pull version

Push version




IDOOR[®] FRAME

*with rounded
top corners*

In addition to the panel/leaf, specially worked to eliminate the upper edges, the iDoor[®] door is equipped with an extruded aluminum frame which allows the door to be mounted flush with the wall and thanks to its particular characteristics, allows the masonry to be finished in such a way coordinated with the design of the door.
A series of dedicated handles complete the proposal of this new flush door.

iDoor[®] is a model designed and registered by Dario Staino, produced exclusively by Staino & Staino srl.





doors with a height
exceeding 270 cm



doors with heights from
230 cm to 270 cm



doors with a height
of up to 220 cm



OVERSIZES HINGES

*with a capacity
of over 90 kg*

iDoor® are equipped with oversized hinges with capacity over 90 kg (approximately triple the weight of the door); this guarantees optimal functioning of the door over time.








IDOOR[®]

*special version with frame
on four sides*

The iDoor[®] door is also available in the special version with frame on four sides, this variant can be used in cases where the door divides rooms with different floor levels.

Thanks to the presence of the frame on all four sides, the lower ends of the door are also rounded, a feature that further emphasizes the exclusive design of the iDoor[®] door.



IDOOR[®]
door painted on site | raised handle MA28

Handles

Data sheets and videos




IHANDLE[®]

by *Staino&Staino*



iHandle[®] in aluminum machined from solid, in a finish coordinated with the door profiles.


Available versions:

- solid aluminum handle, without insert
- handle with insert in matt lacquered MDF
- handle with insert in glossy or satin lacquered glass
- satin or polished chrome privacy knob



Aluminum
edges
thick 1,5 mm



 click to watch the iHandle[®] operation video





GROOVE HANDLE

MA22i

Magnetic closure and **MA22i groove handle**:
the simplest combination for the iDoor®.

On request it is possible to add the
privacy knob or the lock with key.

Handle's couple 40 x 200 mm H





40 80

GROOVE HANDLE MA23i

Pair of 40 mm groove handles.

Possible combinations:

- Pair of handles with long **MA23i** groove on both sides;
- Pair of handles with long **MA23i** groove on the external side and short **MA22i** on the inside.



HANDLE WITH BUILT-IN LED

The light comes out from a slot placed inside the **MA23i groove handle**, the closure is entrusted to an adjustable magnet which can also be equipped with an optional privacy closure.



Possibility of installing a LED light (3000K) inside the **MA23i groove handle** only on the external side; 12 V electric contact is included on the hinge side.

All accessories for the LED light - also available from your electrician:

- Electronic transformer 60W 24 Vdc ip 20.
- Dimmer control (item DRV 8105)




click to see the video handle operation




RISED HANDLE MA28

Magnetic closure and **MA28** rised handle:
the simplest combination for the iDoor®.

Upon request it is possible to add a
privacy closure or a lock with key.



Pair of handles
40 x 200 mm H





RISED HANDLE

MA30

Pair of **MA30** 62x62 mm rised handles: the simplest combination for the iDoor®.

Upon request it is possible to add a privacy closure or a lock with key.



TRADITIONAL HANDLES



TOTAL by Olivari



RADIAL by Olivari



H379 by Fusital
design A.Citterio



QUADRA



REVOLUTION® by Staino&Staino



SIRIO



H384 by Fusital
design CetraRuddy




CONO




H377 by Fusital
design Steve Leung

Data sheet

iDoor[©]



Honeycomb door 53 mm thick, covered in mdf.
For measurements greater than 220 cm in H, the inside of the door is stiffened by aluminum reinforcements.



HINGED DOOR

Door complete with flush-to-wall frame in satin silver aluminum for masonry or plasterboard walls, lock with standard magnetic latch for Patent key or privacy pawl and adjustable concealed hinges.


Standard flush-fitting frame in satin silver aluminum compatible with masonry or plasterboard walls. The frame can be mounted by pulling or by pushing. Example: Right to pull = Left to push.

STANDARD REFERENCE MEASURES


External frame: cm 70/80/90 x 215 H


Clean passage: cm 60/70/80 x 210 H

DETAIL OF PULL OPENING



DETAIL OF PUSH OPENING





ROUNDED CORNERS

The corners of the door have a radius of 7 cm.

OPTIONAL ALUMINUM FINISHES FOR THE WALL FRAME:

(the hinges always remain in satin chrome finish)

- PA02 white matt - PA03 black matt
- PA05 bronze - PA09 corten - PA11 dark bronze "new" - PA13 sandblasted iron gray
- PA07 white oak - RAL matt sample
- Protective film for wall frame finishing

SPECIAL PROCESSING FOR THE INSERTION OF THE RECESSED SKIRTING BOARD:

Milling for the insertion of the built-in skirting board according to customer specifications.
See the [Segreta Catalogue](#)

iDoor® is a registered industrial model, designed by Dario Staino and produced exclusively by Staino&Staino srl.




Finishes

Frame and door's finishes

SEGRETA

profile silver **PA01** | lacquered door on sample **RAL** | coplanar handle **MA 13**

FRAME FINISHES




PA01
Satin silver



PA05
Bronze




PA11
Dark bronze
new




PA02
White matt



PA07
White oak



PA13
Sandblasted
iron grey



PA03
Black matt



PA09
Corten



RAL
Lacquered
color of your
choice*


DOOR FINISHES



RAL
Lacquered
color of your
choice*



NCS
Lacquered
color of your
choice*



RAL9003
White
lacquered

* finish available on sample

Online catalogues

on www.stainoestaino.it



Collection Doors



Collection Sliding Doors



Collection Segreta



Collection Extra Light



Collection Revolution®



Collection Master



Collection Easy-S



Portfolio



Collection Glass

STAINO & STAINO

STAINO&STAINO SRL Via Danubio, 21/23/25
59100 Prato - Italy | Tel +39 0574 69 39 38
Fax +39 0574 69 43 55

www.stainoestaino.it

amministrazione@stainoestaino.it
commerciale@stainoestaino.it
export@stainoestaino.it

iDoor® is a registered industrial model, designed by Dario Staino and produced exclusively by Staino&Staino srl.

STAINO & STAINO Srl is not responsible for any inaccuracies contained in this catalog due to printing errors or for any other reason. STAINO & STAINO reserves the right to make changes to improve the products without notice. Prohibited reproduction without authorization, even partial, of the texts and images contained in this catalog is strictly prohibited by law.